



Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3211$ $y=0.3270$ / $u'=0.2045$ $v'=0.4685$ $duv=-1.213e-003$
 Tc=6067K Dominant WL:Ld=484.8nm Purity=4.6%
 Ratio:R=15.1% G=80.4% B=4.5% Peak WL:Lp=448.5nm HWL:21.0nm
 Render Index:Ra=81.5 [正白]
 R1 =81 R2 =84 R3 =85 R4 =83 R5 =82 R6 =78 R7 =86
 R8 =71 R9 =10 R10=62 R11=83 R12=58 R13=82 R14=92 R15=78

Photo Parameters:

$e=1.813e-002$ umol/s blue ratio=2.25 fluo. eff.=1.506e-002
 Flux = 24.44 lm Eff. : 132.06 lm/W Fe = 40.26 mW

Electrical parameters:



VF = 3.090 V IF = 59.90 mA P = 185.0 mW Ch1
 LEVEL:518 WHITE:C_6050K

Status: T=251.00ms Ip=40848 (62%) [HAAS2000_V1_USB] V2.00.167

Model:2835
 Tester:
 Temperature:25.3Deg
 Manufactory:
 Assessor:damin
 System:WY + HAAS2000_V1_USB

Number:N 28220
 Date:2018-05-21
 Humidity:65.0%
 Remarks:0

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3178$ $y=0.3225$ $u'=0.2039$ $v'=0.4656$ $duv=-1.930e-003$
 Tc=6268K Dominant WL:Ld=482.1nm Purity=6.2%
 Ratio:R=15.0% G=80.3% B=4.7% Peak WL:Lp=449.3nm HWL:20.6nm
 Render Index:Ra=82.2 [正白]
 R1 =82 R2 =85 R3 =85 R4 =84 R5 =83 R6 =79 R7 =87
 R8 =73 R9 =13 R10=63 R11=84 R12=57 R13=83 R14=92 R15=79

Photo Parameters:

$e=1.836e-002$ umol/s blue ratio=2.17 fluo. eff.=1.520e-002

Flux = 24.57 lm Eff. : 133.53 lm/W Fe = 40.85 mW

Electrical parameters:

VF = 3.073 V IF = 59.90 mA P = 184.0 mW Ch1

LEVEL:518 WHITE:C_6050K

Status: T=314.00ms Ip=54287 (83%) [HAAS2000_V1_USB] V2.00.167

Model:2835
 Tester:
 Temperature:25.3Deg
 Manufactory:
 Assessor:damin
 System:WY + HAAS2000_V1_USB

Number:N 28221
 Date:2018-05-21
 Humidity:65.0%
 Remarks:0