



TEL: +86-760-89820100
E-mail: sales@lightstec.com
Web: www.lightstec.com
ADD:5F-6F,No.41 WANLE EAST ROAD,
SHENGFENG,XIAOLAN TOWN,ZHONGSHAN,CHINA

Led Aluminum Profile
Led Strip Light
Manufacturer & Solution Supplier
www.lightstec.com





PRODUCTS & SERVICES

We offer wide range of

LED Strip Lights

SMD5050,SMD3528,SMD2835, SMD3014,SMD5630,SMD2216 Series Led strip lights.

LED Linear Lights

There are few types of led linear lights, but we can help you assemble linear lights according to your request.

LED Aluminum Profiles

surface-mounted, Recessed, Pendant, Corner, Round, Stair, Flexible styles.

OEM ODM Service

OEM ODM Service is welcome. We offering several services to meet different clients's requirement.



Lightstec is China-based Led Strip Lights, Led Aluminum Profiles and Led Linear Lights Manufacturer & Factory Since 2008.

Lightstec® is a LED Strip Light, LED Linear light system, LED Aluminum Profile manufacturer factory which founded in 2008. We have our own factory and R&D Dept. Local in Guangdong, China. Near Hong Kong, Shenzhen and Guangzhou.

We mainly focus on Designing, producing and shipping High quality LED lighting products. All of our LED Products are produced by a team of skilled crafts people and manufacture from the finest materials available. Each finished piece is meticulously inspected and packaged to ensure delivery of only the highest quality product to the customer. Our quality and design are supported by our considerate customer service.

Customer satisfaction is our primary goal and we will work hard to accommodate any request and to serve our clients at the highest level possible. No matter you are an Architects, Dealers, Designers or Corporate Buyers, Wholesaler, We will serve you with the same level of care and quality products.

Welcome to our factory!



3528 Single Color

CE RoHS FC IC



note: luminous check in white color 6000K

LT-3528W60R-W12/24



2700K/3000K/4000K/6000K

420 LM/m
128 LM/ft

12V/24V

4.8W/m
1.5W/ft

IP33 / IP55 / IP65 / IP67

60LED/m

166.7mm (5LED)
100mm (3LED)

5000*8*2mm

LT-3528W120R-W12/24



2700K/3000K/4000K/6000K

840 LM/m
256 LM/ft

12V/24V

9.6W/m
3W/ft

IP33 / IP55 / IP65 / IP67

120LED/m

50mm (3LED)
100mm (6LED)

5000*8*2mm

LT-3528W240R-W24



2700K/3000K/4000K/6000K

1680 LM/m
512 LM/ft

24V


19.2W/m
6W/ft

IP33 / IP55 / IP65 / IP67

240LED/m

50mm (6LED)

5000*10*2mm (one line)
5000*15*2mm (two line)






5050 Single Color



5050 RGB Color


CE RoHS FC IC


CE RoHS FC IC



| LT-5050W30R-W12/24 | LT-5050W60R-W12/24 | LT-5050W120R-W24 |
|--|---------------------------|---------------------------|
| | | |
| 2700K/3000K/4000K/6000K | 2700K/3000K/4000K/6000K | 2700K/3000K/4000K/6000K |
| 600 LM/m 180 LM/ft | 1200 LM/m 360 LM/ft | 2400 LM/m 720 LM/ft |
| 12V/24V | 12V/24V | 24V |
| 7.2 W/m(12V) 2.2 W/ft(12V) 8.6 W/m(24V) 2.6 W/ft(24V) | 14.4 W/m 4.4 W/ft | 28.8 W/m 8.8 W/ft |
| IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 |
| 30LED/m | 60LED/m | 120LED/m |
| 166.7mm(5LED) 100mm(3LED) | 50mm(3LED) 100mm(6LED) | 50mm(6LED) |
| 5000*10*2mm | 5000*10*2mm | 5000*15*2mm |

| LT-5050RGB60R-W12 | LT-5050RGB60R-W24 | LT-5050RGB60R-W36 |
|----------------------------|----------------------------|----------------------------|
| | | |
| RGB | RGB | RGB |
| 200 LM/m 60 LM/ft | 200 LM/m 60 LM/ft | 200 LM/m 60 LM/ft |
| 12V | 24V | 36V |
| 14.4W/m 4.4W/ft | 14.4W/m 4.4W/ft | 14.4W/m 4.4W/ft |
| IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 |
| 60LED/m | 60LED/m | 60LED/m |
| 50mm (3LED) 100mm(6LED) | 50mm (3LED) 100mm(6LED) | 50mm (3LED) 100mm(6LED) |
| 5000*10*2mm | 5000*10*2mm | 5000*10*2mm |





5050 RGBW Color


CE RoHS FC IC

| | LT-5050RGBW60R-W12 | LT-5050RGBW60R-W24 |
|--|---------------------------|---------------------------|
| | | |
| | RGB+W(3000K/4000K/6000K) | RGB+W(3000K/4000K/6000K) |
| | 600 LM/m 180 LM/ft | 600 LM/m 180 LM/ft |
| | 12V | 24V |
| | 19,2W/m 5,8W/ft | 19,2W/m 5,8W/ft |
| | IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 |
| | 60LED/m | 60LED/m |
| | 50mm (3LED) | 100mm(6LED) |
| | 5000*12*2mm | 5000*12*2mm |



2835 Single Color

CE RoHS FC IC



| | LT-2835W60R-W12/24 | LT-2835W120R-W12/24 | LT-2835W168R-W24 |
|--|----------------------------|---|---------------------------|
| | | | |
| | 2700K/3000K/4000K/6000K | 2700K/3000K/4000K/6000K | 2700K/3000K/4000K/6000K |
| | 1440 LM/m 440 LM/ft | 2880 LM/m 880 LM/ft | 1800 LM/m 550 LM/ft |
| | 12V/24V | 12V/24V | 24V |
| | 12W/m 3,7W/ft | 24W/m 7,3W/ft | 18W/m 5,5W/ft |
| | IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 |
| | 60LED/m | 120LED /m | 168LED /m |
| | 50mm (3LED) 100mm(6LED) | 25mm(3LED) 50mm (6LED) | 35,7mm(6LED) |
| | 5000*8*1mm | 5000*8*1mm (one line) 5000*15*1mm (two line) | 5000*8*1mm |

note:luminous check in white color 6000K





2835 Single Color

CE RoHS FC IC



LT-2835W196R-W24



2700K/3000K/4000K/6000K

2200 LM/m
660LM/ft

24V

18W/m
5.5W/ft

IP33 / IP55 / IP65 / IP67

196LED/m

71.3mm (14LED)

5000*15*1mm

LT-2835W192R-W12/24



2700K/3000K/4000K/6000K

2160 LM/m
658 LM/ft

12V/24V

18W/m
5.5W/ft

IP33 / IP55 / IP65 / IP67

192LED/m

35.7mm (7LED)

5000*8*1mm

LT-2835W240R-W24



2700K/3000K/4000K/6000K

2400 LM/m
730 LM/ft

24V

24W/m
7.3W/ft


IP33 / IP55 / IP65 / IP67

240LED/m

50mm (12LED)

5000*15*1mm

note:luminous check in white color 6000K



Color Temperature Adjustable

CE RoHS FC IC



LT-2835CCT120R-W12/24



2700K~6000K

1800 LM/m
550LM/ft

12V/24V

18W/m
5.5W/ft

IP33 / IP55 / IP65 / IP67

120LED/m

50mm (6LED)
100mm (12LED)

5000*8*1mm

LT-2835CCT180R-CC



2700K~6000K

2100 LM/m
550LM/ft

5B*2(one Unit), 5BBC*2(one motor)

18W/m
5.5W/ft

IP33 / IP55 / IP65 / IP67

180LED/m

56mm (10LED)

5000*8*1mm

LT-3014CCT120R-W12



2700K~6000K

1080 LM/m
330LM/ft

12V

12W/m
3.6W/ft


IP33 / IP55 / IP65 / IP67

120LED/m

50mm (6LED)

5000*10*1mm


① choose two color





3014 Single Color

CE RoHS FC IC




| LT-3014W60R-W12 | LT-3014W120R-W12 | LT-3014SV120R-W24 (side view) | LT-3014W238R-W24 |
|---------------------------|---------------------------|----------------------------------|------------------------|
| | | | |
| 2700K/3000K/4000K/6000K | 2700K/3000K/4000K/6000K | 2700K~6000K | 2700K~6000K |
| 660 LM/m 200 LM/ft | 1320 LM/m 400 LM/ft | 840 LM/m 256 LM/ft | 1620 LM/m 493 LM/ft |
| 12V | 12V | 24V | 24V |
| 7.2W/m 2.2W/ft | 14.4W/m 4.4W/ft | 9.8W/m 2.9W/ft | 18W/m 5.5W/ft |
| IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 | IP33 / IP65 / IP67 | IP33 / IP65 / IP67 |
| 60LED/m | 120LED/m | 120LED/m | 238LED/m |
| 50mm | 25mm | 25mm | 29.4mm |
| 5000*8*1mm | 5000*8*1mm | 5000*8*1mm | 5000*8*1mm |

note: luminous check in white color 6000K



2216 & 5630 Single Color




CE RoHS FC IC



| LT-2216W300R-W24 | LT-5630W60R-W12/24 |
|----------------------------|---------------------------|
| | |
| 3000K/4000K/6000K | 2700K/3000K/4000K/6000K |
| 1620 LM/m 490 LM/ft | 1530 LM/m 466 LM/ft |
| 24V | 12V/24V |
| 18W/m 5.5W/ft | 18W/m 5.5W/ft |
| IP33 / IP55 / IP65 / IP67 | IP33 / IP55 / IP65 / IP67 |
| 300LED/m | 60LED/m |
| 50mm (3LED) 100mm(6LED) | 25mm(3LED) 50mm (6LED) |
| 5000*10*1mm | 5000*10*1mm |

note: luminous check in white color 6000K





U12

CE RoHS FC IC

U12



2700K/3000K/4000K/6000K



860 LM/m
260 LM/ft



12V/24V



12W/m
3,6W/ft



IP65 / IP67



60LED/m



100mm(3LED)



5000*6*12mm



ACCESSORIES

Aluminum clip L:50*W10.6*H14



Aluminum carrier L:1000*106*H14



End cap outgoing end cap+plug




note:luminous check in white color 6000K





U20

CE RoHS FC IC



U20



U20



2700K/3000K/4000K/6000K



1200 LM/m
360 LM/ft



12V/24V



18W/m
5,5W/ft



IP65 / IP67



120LED/m



50mm (6LED)



5000*12*20mm



ACCESSORIES

Aluminum clip L:50*W12,2*H21



Aluminum carrier L:1000*12,2*H21




End cap outgoing end cap+plug



note:luminous check in white color 6000K





5050 Magic Color

CE RoHS FC IC



LT-5050MAGIC60R-W12



RGB

200 LM/m
60 LM/ft

12V

14.4W/m
4.4W/ft

IP33 / IP55 / IP65 / IP67

60LED/m

50mm (3LED)

5000*10*2mm

LT-5050MAGIC60R-W24



RGB

200 LM/m
60 LM/ft

24V

14.4W/m
4.4W/ft

IP33 / IP55 / IP65 / IP67

60LED/m

100mm (6LED)

5000*10*2mm

Aluminum Modul No.

Surface Mount Extrusions (51)

LT-5075



16

LT-5036



17

LT-2007



18

LT-1605



19

LT-60



32

LT-120



33

LT-2020



34

Round Profiles (Extrusion)

Recessed Extrusion (43)

LT-9176



20

LT-9135



21

LT-5035



22

LT-1105



23

LT-6728



35

LT-1806



36

Stair & Flexible Profiles (Extrusion)

Pendant Profiles (Extrusion)

LT-7676



24

LT-7635



25

LT-5575



26

LT-3575



27

Corner Profiles (Extrusion)

LT-1301



28

LT-2003



28

LT-2004



30


LT-3030




31



PROFILE INSTALLATION






Profile structure



PROFILE LIGHTING STRUCTURE

- 1. Profile alternative color: silver, white, black
- 2. Diffuser
- 3. End caps
- 4. Screws
- 5. Light source
- 6. Accessories





LT-5075



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min_Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600 ~/ft | 50mm |



STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



Pendant wire
2 pcs for 4 Feet
4 pcs for 8 Feet



LT-5036



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min_Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES





Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



Pendant wire
CR10C1: 4 Meter
CR10C2: 2 Meter





LT-2007



STANDARD LED STRIP




| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|---------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000L/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES



Mounting clips
2 pcs for 1 feet
4 pcs for 3 feet



LT-1605



STANDARD LED STRIP




| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|---------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000L/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES



Mounting clips
2 pcs for 1 feet
4 pcs for 3 feet





LT-9176



STANDARD LED STRIP





| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



LT-9135



STANDARD LED STRIP





| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W21 | 21W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet





LT-5035



STANDARD LED STRIP




| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2635W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



LT-1105



STANDARD LED STRIP





| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet





LT-7676



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|-----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000 lm/m 600Lm/ft | 50mm |



STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



Pendant wire
2 pcs for 4 Feet
1 pcs for 8 Feet



LT-7635



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES





Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



Pendant wire
2 pcs for 4 Feet
4 pcs for 8 Feet





LT-5575



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|-----------------|------------------|---------|----------------------|---------|
| L-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |



STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



Power wires
2 pcs for 4 Feet
4 pcs for 8 Feet



LT-3575



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|-----------------|------------------|---------|----------------------|---------|
| L-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES




Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



Power wires
2 pcs for 4 Feet
4 pcs for 8 Feet





LT-1301



STANDARD LED STRIP




| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



LT-2003



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES




Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



Pendant wire
2 pcs for 4 Feet
4 pcs for 8 Feet





LT-2004



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |


STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet



Pendant wire
2 pcs for 4 Feet
4 pcs for 8 Feet



LT-3030



STANDARD LED STRIP




| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|------------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |

STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet





LT-60

STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|----------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 8W/ft | DC24V | 2000Lm/m 800Lm/ft | 50mm |

STANDARD ACCESSORIES



Pendant wire
2 pcs for 4 Feet
4 pcs for 8 Feet



LT-120

STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|----------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 8W/ft | DC24V | 2000Lm/m 800Lm/ft | 50mm |

STANDARD ACCESSORIES



Pendant wire
2 pcs for 4 Feet
4 pcs for 8 Feet





LT-2020



STANDARD LED STRIP




| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|----------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 8W/ft | DC24V | 2000Lm/m 800Lm/ft | 50mm |

STANDARD ACCESSORIES



Pendant wire
2 pcs for 4 Feet
4 pcs for 8 Feet



LT-6728

STANDARD LED STRIP




| Model No. | Power | Voltage | Lumen | Min.Cut |
|------------------|----------------|---------|----------------------|---------|
| LT-2835W120R-W24 | 24W/M 8W/ft | DC24V | 2000Lm/m 800Lm/ft | 50mm |

STANDARD ACCESSORIES



Human Sensor
sensor switch





LT-1806



STANDARD LED STRIP



| Model No. | Power | Voltage | Lumen | Min.Cut |
|-------------------|------------------|---------|----------------------|---------|
| LT-2835W 120R-W24 | 24W/M 7.2W/ft | DC24V | 2000Lm/m 600Lm/ft | 50mm |

















































STANDARD ACCESSORIES



Mounting clips
2 pcs for 4 Feet
4 pcs for 8 Feet

| | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------------|-------------------------|
| <p>LT-2020</p> | <p>LT-1106</p> | <p>LT-1102</p> | <p>LT-1104</p> | <p>LT-1105</p> | <p>LT-1103</p> | <p>LT-1401</p> |
| <p>LT-1603</p> | <p>LT-1604</p> | <p>LT-1202</p> | <p>LT-1303</p> | <p>LT-1201</p> | <p>LT-2001</p> | <p>LT-1204</p> |
| <p>LT-1302</p> | <p>LT-1205</p> | <p>LT-08</p> | <p>LT-1610</p> | <p>LT-1612</p> | <p>LT-2401</p> | <p>LT-2402</p> |
| <p>LT-2601</p> | <p>LT-1206</p> | <p>LT-16</p> | <p>LT-1607</p> | <p>LT-1602</p> | <p>LT-1304</p> | <p>LT-1601</p> |
| <p>LT-1203</p> | <p>LT-1301</p> | <p>LT-1101</p> | <p>LT-1001</p> | <p>LT-1002</p> | <p>LT-3030-C</p> | <p>LT-3030-S</p> |







Touch Sensitive Switch

Motion Sensor Switch

Touch Sensitive Switch



1. working wattage: 12V;
2. quiescent current <math><30\mu A</math>;
3. working current Max: 2A;
4. connection: XH connector
5. working temperature: -20° - $+50^{\circ}$ 6. dimming

Touch Sensitive Switch (built-in)



1. working wattage: 12V;
2. quiescent current <math><30\mu A</math>;
3. working current Max: 2A;
4. connection: XH connector
5. working temperature: -20° - $+50^{\circ}$ 6. dimming

Door open colse switch



1. working wattage: 12/24V;
2. quiescent current <math><30\mu A</math>;
3. working current Max: 3A;
4. connection: XH connector
5. working temperature: -20° - $+50^{\circ}$
7. sensor angle: 35° ;
10. sensor length: 8cm;

Motion Sensor Switch



1. Output= Input;
2. working wattage: 12V/24v;
3. quiescent current <math><30\mu A</math>;
4. working current Max: 2A;
5. connection: XH connector
6. Input mode: human infrared induction voltage input
7. Sensing mode : passive
8. lighting time: 15s;
9. angle: 120° ;
10. sensor length: 3meter;
11. working temperature: -20° - $+50^{\circ}$



LRS Series



Wattage:50~350W
Output:DC12/24V

Feature:
 • Non-PFC, most economical models
 • 300VAC input surge
 • 70°C operation
 • Complete safety certificates:
 IEC/EN60335-1(PD3),
 IEC/EN61558-1, -2-16;
 IEC/EN/UL60950-1 and GB4943

- Model:
- LRS-50
 - LRS-75
 - LRS-100
 - LRS-150
 - LRS-200
 - LRS-350

LPV Series



Wattage:20~150W
Output:DC12/24V

Feature:
 • 90~264VAC
 • Slim plastic case with IP67 level
 • -30~70°C wide operation range
 • Suitable for economical LED lighting and moving sign applications

- Model:
- LPV-20
 - LPV-35
 - LPV-60
 - LPV-100
 - LPV-150

Triac dimmable Series



Wattage:60~200W
Output:DC12/24V

Feature:
 • PWM output
 • Full dimming range: 0-100%
 • 5% minimum load
 • Continous, smooth
 • ETL, cETL, FCC, Class 2, RoHS

- Model:
- LT-12060-TD
 - LT-12080-TD
 - LT-12100-TD
 - LT-12120-TD
 - LT-12150-TD
 - LT-12200-TD

0-10V dimmable Series



Wattage:60~200W
Output:DC12/24V

Feature:
 • 4 in 1: 0-10V/1-10V/Potentiometer/10V PWM
 • Full dimming range: 0-100%
 • 10% minimum load
 • Continous, smooth
 • TUV-CE, CB, RoHS

- Model:
- LT-12060-A-DIM
 - LT-12080-A-DIM
 - LT-12100-A-DIM
 - LT-12120-A-DIM
 - LT-12150-A-DIM
 - LT-12200-A-DIM